EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	58758	new with (identification or ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L15	349	(714/20).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L14	567	(714/13).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L13	992	(714/15).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L12	567	(714/13).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L11	2161	(714/6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L10	22	(714/6).ccls. and (snapshot or "snap shot").ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L9	60	(714/6).ccls. and "incremental backup"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L8	531	L6 or L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23

EAST Search History

L7	38	node with "snap shot"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L6	497	node with snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:23
L5	71	node with state with snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:22
L4	20	L3 and (714/6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:22
L3	531	L1 or L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:22
L2	38	node with "snap shot"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:22
L1	497	node with snapshot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/15 18:22

Google

Web   Images   Video   News   Maps   more »

backup state node   Search | Advanced Search
                                    Preferences

Web   Results **1 - 10** of about **79,100** for backup state node. (0.15 seconds)

[PDF] A new method of fault tolerance TCP - Computer Networks and Mobile ...
File Format: PDF/Adobe Acrobat
of dual **nodes backup** system. The two **nodes** can realize. the **state backup** each
other through the ... if the **state** of **Node** is Standby at present, TCP **backup** ...
ieeexplore.ieee.org/iel5/8807/27858/01243062.pdf - Note this

[PDF] NV-SRAM: a nonvolatile SRAM with **backup** ferroelectric capacitors ...
File Format: PDF/Adobe Acrobat
Each cell consists of a six-transistor SRAM-cell and two. **backup** capacitors. Each
capacitor is directly connected to an. SRAM cell storage **node**. ...
ieeexplore.ieee.org/iel5/4/19633/00910492.pdf - Note this

[PDF] The design of high availability in the dawning server ...
File Format: PDF/Adobe Acrobat
Application manager can start (stop, restart, close) a. virtual service, tune the service
running and **backup node**. examine the service running **state** though ...
ieeexplore.ieee.org/iel5/6804/18265/00846593.pdf - Note this

[PDF] NCAPS: APPLICATION HIGH AVAILABILITY IN UNIX COMPUTER CLUSTERS
File Format: PDF/Adobe Acrobat
is in a primary **state** and is providing service. In the other. **node** another instance of
the application is in a **backup state**. A **backup** application is not ...
ieeexplore.ieee.org/iel4/5640/15114/00689496.pdf?arnumber=689496 - Note this

[PDF] NV-SRAM: a nonvolatile SRAM with **back-up** ferroelectric capacitors ...
File Format: PDF/Adobe Acrobat
transistor ASIC SRAM cell and two **back-up** ferroelectric ... **state**. 't. Power supply.
Plate line. Lower storage **node**. CapLow bias ...
ieeexplore.ieee.org/iel5/6878/18523/00852619.pdf - Note this

[PDF] Multiple **backup** virtual paths reservation problem and its solution ...
File Format: PDF/Adobe Acrobat
cannot detect the shared link because the **state** of the l-. **node** is initialized when the
l-**node** receives all acknowl-. Step. 1:. For each candidate of **backup** ...
ieeexplore.ieee.org/iel5/7016/18914/00873935.pdf?arnumber=873935 - Note this

[PDF] Graph-theory-based protocol to provide centralised management of ...
File Format: PDF/Adobe Acrobat
the network. Where appropriate selected bridges are. subsequently informed by the
management **node** to. switch into a **backup state** thereby isolating unwanted ...
ieeexplore.ieee.org/iel1/2191/11557/00533166.pdf?arnumber=533166 - Note this

Phys. Rev. Lett. 78, 4293 (1997): van Enk et al. - Ideal Quantum ...
Entangle atom 1 with the **backup** atom b in **node** 1, jg b je b jg 1 jg b jR 2 jR a ! ...
that if an error is found, atom b is in the correct **backup state**). ...
link.aps.org/doi/10.1103/PhysRevLett.78.4293 - Note this

[PDF] Pastiche: Making **Backup** Cheap and Easy
File Format: PDF/Adobe Acrobat
A chunk that is part of another **node's backup state**. includes that nodeId in its owner
list. Remote hosts. supply a public key with their **backup** storage ...
portal.acm.org/citation.cfm?doid=844128.844155 - Note this

[PDF] LNCS 2928 - Dynamic AODV **Backup** Routing in Dense Mobile Ad-Hoc ...
File Format: PDF/Adobe Acrobat
every **node** should not use this link anymore. If the **backup** route exists, the **state**.
transfers to the **backup** route. In this **state**, the incoming data will be ...
www.springerlink.com/index/BU7BE7E43G2343G7.pdf - Note this

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

Download Google Pack: free essential software for your PC

| backup state node | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

Try your query on the entire web

Google Home - Advertising Programs - Business Solutions - About Google